10-04-04





Attorney Docket No. CPU-11802/02

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: William Ng

Serial No.: 10/756,859

Filing Date: 1/14/04

For: DISC TYPE PADLOCK

**Group Art Unit: 3676** 

Examiner: Lloyd A. Gall

# TRANSMITTAL LETTER

MAIL STOP: RESPONSE - NO FEE

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Dear Sir:

Enclosed is an Amendment in response to the Office Action dated July 8, 2004, regarding the above application.

No additional fee is required.

Respectfully submitted,

Irvin L. Groh

Registration No. 17,505

Gifford, Krass, Groh, Sprinkle,

Anderson & Citkowski, P.C.

280 N. Old Woodward Ave., Suite 400

Birmingham, MI 48009-5394

(941) 488-4245

Attorney for Applicant

CPU-11802/02 Page 2 of 12 ILG/Ilg



### **CERTIFICATE OF MAILING BY "EXPRESS MAIL"**

"EXPRESS MAIL" MAILING LABEL NUMBER: ER 546198691 US DATE OF DEPOSIT: September 30, 2004

I hereby certify that this paper or fee (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service "Express Mail Post Office To Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Bunda L. Reilly



Attorney Docket No.: CPU-11802/02

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: William Ng

Serial No.: 10/756,859

Filing Date: 1/14/04

For: DISC TYPE PADLOCK

**Group Art Unit: 3676** 

Examiner: Lloyd A. Gall

#### **AMENDMENT**

### **MAIL STOP: AMENDMENT**

Commissioner for Patents P.O. BOX 1450 ALEXANDRIA, VA 22313-1450

Sir:

In response to the Office Action mailed July 8, 2004, please amend the aboveidentified application as follows:

#### ABSTRACT AMENDMENT

A disc shaped padlock has a shackle in the form of an open ring moveable in an arcuate groove within the body of the lock with a key to bring the opening in the ring into an aligned relation with a radially extending **noted notch** in the body to form an unlocked condition of the padlock. The opening in the ring is moved out of alignment with the notch to form a locked condition in which the notch is closed by the ring-like